







www.xnlivin.eu

THE NEW GENERATION OF ADHESIVE FILM



At a time when preserving the environment has become a major issue, the ADH'ECO FILM range of products is the innovative solution to current ecological concerns...

CONSIDER THE ECO-RESPONSIBLE IMAGE OF YOUR STORE BRAND AND BECOME AN AMBASSADOR OF A RESPONSIBLE ECO WORLD WITHOUT PVC

ADH'ECO FILM new generation self-adhesives do not contain PVC, solvents, halogens or phthalates. Manufactured to the highest quality, they are guaranteed without shrinkage, classified flame retardant : B-s1.d0 and offer a disconcerting ease of installation as an excellent durability and a high resistance to use.

SELF-ADHESIVES WITH UNIQUE AND EXCLUSIVE QUALITIES

ECO RESPONSIBLE for their recyclability thus reducing the ecological footprint

INNOVATIVE and EXCLUSIVE it is a unique world first

EXCELLENT SUSTAINABILITY

WITHOUT SHRINKAGE thanks to their composition without plasticizer

150 microns THICKNESS, TEAR-PROOF, CREASE RESISTANT

REPOSITIONABLE while applying without residues of glue

WASHABLE, WATERPROOF, ANTI-OIL ideal for daily maintenance

COMPLIES with the REACH STANDARD

FLAME RETARDANT 2009 : Classe B-s1.d0*

* Satisfied the technical requirements of BS EN 13501-1 : 2007+A1 : 2009 about class B-s1d0 without release of toxic vapors and without production of droplets during its combustion.

REPOSITIONABLE FLAME RETARDANT 2009

Class B-s1,d0

REACH

QUALITY

SOLVENT HALOGENS PHTHALATES

FREE

KITCHEN ADHESIVE PVCFREE FILM

FREE

THE NEW GENERATION OF ADHESIVE FILM

www.xnlivin.eu

TEAR-PROOF **REMOVABLE** &

WHILE

APPLYING



DECORATING · RENOVATE · RELOOK

DOORS · WALLS · CREDENZAS · FURNITURE

PEEL & STICK · WRINKLE-FREE · TEAR PROOF

Discover the multiple creative possibilities for the range ADH'ECO FILM Kitchen, the perfect self-adhesive decoration to personalize doors, walls, credenzas or any others interior furnitures...

An innovative solution, quick to install, to renovate and relook your kitchen or your bathroom instantly.

Suitable for all types of smooth interior surfaces, wall, plaster, plasterboard, wood panels, MDF... All the surfaces must be cleaned, dried and dust-free.

Apply at a temperature between 15°C and 25°C. In the case of laying on tiles, it is recommended that all joints and tiles be plastered to achieve a smooth surface to avoid any transparency effect.

ADH'ECO FILM Kitchen a commitment to the future every day...

PVC FREE / HALOGENS FREE / SOLVENT FREE / PHTHALATES FREE

- · Eco-responsible : its chemical composition allows for complete recycling
- · Complies with **REACH**, the European standard against harmful substances
- Flame retardant : EN 13501-1;2007+A1;2009 Class B-s1,d0
- · Ultra-resistant : tear proof with a thickness of 150 microns
- Wrinkle-free : easy to apply, 'PEEL AND STICK' for an immediate result
- · Repositionable : while applying without any adhesive residues
- · Washable, waterproof and and anti-oil
- · Without shrinkage, as it does not contain any plasticizer



THE NEW GENERATION OF ADHESIVE FILM

www.xplivin.eu





































































































